



Model No. CL-Cinema One

Part No. 13-6002-218

## DATASHEET



## APPLICATION

- Commercial Cinema
- Bars, Pubs, Clubs
- Entertainment Venues,
- Live Theatres
- Houses of Worships,

## Key Features

- Dual Driver Sub bass design /460 mm (18"\* 2 ) custom woofer with 4" Voice Coil
- Frequency response from 35Hz to 500Hz ( +/- 3 db)
- Nominal Impedance – 4 Ohms
- Enclosure – Plywood
- 2 x Speakon Connector /Available in black Textured Finish

## Product Description

- The DAT 2x18" Dual woofer system The DAT CL-Cinema One has met the following performance criteria. The frequency response of 55-18000Hz & frequency sensitivity of 98 dB, Maximum SPL of 126dB, The CL612 features 15mm birch plywood construction covered in a scratch resistant black or white paint with two pocket handles.

Model	CL-Cinema One
Code	13-1200-218
Type	Dual Driver Sub Bass system for Cinema
Frequency Response	35Hz- 500Hz $\pm$ 3dB
Power handling	1200W(RMS) 4600W(PEAK)
Sensitivity	102 dB(1W@1M)
Max SPL	133 dB(PEAK/1M)
Drivers	LF 18"(460 mm) woofer 100 mm(4in)coil
Nominal impedance	4 ohm
Finish	Textured paint
Connectors	2X XLR Connectors
Enclosure	Plywood
Dimensions	1020 $\times$ 530 $\times$ 820mm(W $\times$ H $\times$ D)
Packing Dimensions	1100 $\times$ 615 $\times$ 900 mm(W $\times$ H $\times$ D) /0.14cbm
Net weight	73.5kg
Gross weight	79 kg



